INDEX TO
EXPERIMENTAL TECHNIQUES
Volume 7, 1983

Title Index

Application of the Knee Gage — J. Evan and G. Viegelahn, 35 (Aug.).
Assessment of Different Experimental Techniques for Determination of Threshold Stress-intensity Factor ΔKth, An — A.F. Blom, 15-18 (May).
Bendable Strain Gages? — S.K. Foss, 15 (Nov.).
Brittle-coating Demonstration Strip — B.W. Cotterman and F.B. Stern, 37 (June).
Classroom Moiré Demonstrator — B.W. Cotterman and P.D. Heimdahl, 38-39 (Jan.).
Comparison of Residual-stress Measurements Using Blind-hole, Abrasive-jet and Trepan-ring Methods, A — F.W. Witt, F. Lee and W. Rider, 41-44 (Feb.).
Computer-aided Verification of Fatigue-macnine Performance — T.M. Maneady and W.T. Brousn, 19-23 (Dec.).
Constant-velocity Impact Tester for Brittle Materials, A — R.M. Fredriks, 21 (July).
Construction of a Slip-line Field in Photoviscoplastic Model Test — T. Nishitani and H. Ito, 26-27 (Mar.).
Crack-defect Demonstrator — B.W. Cotterman and F.B. Stern, 40-41 (Oct.).
Differentiation and Integration of Continuous Experimental Data — D.G. Berghaus and T.O. Woods, 22-27 (Nov.).
Digital Techniques for Enhancing and Processing Dynamic Stress-analysis Data — J.S.W. Taylor, 31-35 (June).
Edge Effects in Composites by Moiré Interferometry — R. Czarnek, D. Post and C. Herakovich, 18-21 (Jan.).
Effect of Complementary Gratings in Fringe Sharpening on Fringe Orders — G. Subramanian and D. Selvan, 36-37 (Sept.).
Elementary Probability Plotting for Experimental Data Analysis — J.R. King, 30-34 (Sept.).
Epoxy Putty and a Collapsable Molding Device — H.W. Smith, 32-33 (Mar.).
Errors Due to Transverse Sensitivity in Strain Gages — Measurements Group, Inc., 30-35 (Jan.).
Exact Technique for Mixing of Immersion Fluids, An — S. Singn, 27-29 (Jan.).
Experimental Study of the Dynamic Loading of Metal Disks — J.G. Beese, H. Clarke and P.W. Prickett, 24-28 (Aug.).
Gage-factor Considerations for Platinum-tungsten Alloy at Elevated Temperatures — S. Wnuk, 34-35 (Oct.).
High-elongation Strain Measurement — E.M. Barrowman, 29-32 (Oct.).
Improved Moiré Interferometry and Applications in Fracture Mechanics, Residual Stress and Damaged Composites — A. McDonach, J. McKelvie, P. Mackenzie and C.A. Walker, 20-24 (June).
Influence of Residual Stresses Introduced by Shot Peening Upon the Fatigue Life of Materials — A. Niku-Lari, 21-25 (Mar.).
Lighter and Longer — A Similarity Between Man and Machine — K. Rajaiah and A.J. Durelli, 22-23 (July).
Load Cell for Measuring Forces in the Temporomandibular Joint — G. Roe and E.E. Day, 18 (Nov.).
Measuring Strain Gages Directly Without Signal Conditioning — E.J. Nelson, C.F. Sikorra and J.L. Howard, 26-28 (Sept.).
Method for Measuring End Load in a Pressurized Hollow Rod, A — L.R. Foss, 24 (July).
Microcomputer-controlled Scanning System for Transducers, A — R. Royles and D.C. Jeffrey, 26-28 (Apr.).
Moiré Home Study Problem — B.W. Cotterman, 28-29 (July).
Moiré Interferometry for Damage Analysis of Composites — D. Post, 17-20 (July).
Moiré Viewgraph Demonstrator — B.W. Cotterman, 27 (July).
New Developments in Foil Strain-gage Technology — W. Ort, 19-23 (Aug.).
Numbering Photographs — V.J. Parks, 16 (Nov.).
Out-of-plane Deformation of Balanced and Symmetric Composites as Measured by Holographic Interferometry — H.W. Chang, 30-34 (Aug.).
Photoelastic Simple-stress-concentration Demonstration — B.W. Cotterman and R.A. Bodre, 28-30 (Dec.).
Photoelastic Stress-freezing Demonstration — B.W. Cotterman and R.A. Bodre, 28 (Nov.).
Piezoelectric-accelerometer Installation-verification Tecnniques — E.J. Nelson, 24 (Dec.).
Preparation of Materials for Composite Photoelastic Models — D.K. Sehgal, S.M.A. Kazami and A. Natarajan, 29-31 (Apr.).
Protection of Strain Gages on Rebar — G. Druffner, 35 (Oct.).
Recent Experiences with Small Computers at the Air Force Institute of Technology — H.C. Briggs, 40-42 (Apr.).
Relief in a Rush — C.A. Eubanks, 20 (Nov.).
Residual Stresses and Surface Finish in Shot-peened Components and Materials — A. Niku-Lari, 30-36 (Feb.).
Reusable Angle Transducer — G.L. Viegelahn, 19 (Nov.).
Review of Experimental Techniques for Thin-walled Structures Liable to Buckling, Part I — Neutral and Unstable Buckling — M.A. Souza, W.C. Fok and A.C. Walker, 21-25 (Sept.).
Review of Experimental Techniques for Thin-walled Structures Liable to Buckling, Part II — Stable Buckling — M.A. Souza, W.C. Fok and A.C. Walker, 36-39 (Oct.).
Shadow Moiré Out-of-Plane Displacement Demonstrator — B.W. Cotterman and P.D. Heimdahl, 29-30 (May).
Simple Technique to Count the Fringes in a Dynamic-photoelastic Oscillogram, A — V.G. Idichandy and G. Venkata Rao, 26-28 (May).
Simplified Moiré Analysis for Two-dimensional Strain Measurements — A.T. Andonian, 25-27 (June).
Some Comments on the Evaluation of Transducer Performance — A.E. Brendel, 20-21 (May).
Static-strain Measurements on Gas-turbine Combustor Liners — P. Raymondo, 46-49 (Feb.).
Strain-gage Clamping — C. Law, 26 (Dec.).
Strain-gage Transducer for Measuring Strains in Composite Materials, A — A.R. Cederberg and R.F. Foral, 22-25 (May).
Stress Corrosion, Anyone? — G. Cassatt, 16 (Nov.).
Teaching Linear Mismatch in Moiré — B.W. Cotterman and P.D. Heimdahl, 34-35 (Mar.).
Test Frame for Uniaxial Creep, A — M.A. Pressell and L.B. Sandberg, 25-26 (Dec.).
Thanks, Mr. Wrigley — J. Holland and J.W. Dalley, 35 (Sept.).
Two-color Grating Aids Moiré-fringe Sharpening — G. Subramanian and D. Selvan, 28-29 (June).
Unbalanced-bridge Computational Techniques and Accuracy for Automated Multichannel Strain-measuring Systems — M. Williams and G. McFetridge, 32-37 (Apr.).
Unleashing a Microcomputer in the Laboratory, Part I — K.G. McConnell and M. Abdelhamid, 22-24 (Jan.).
Unleashing a Microcomputer in the Laboratory, Part II — K.G. McConnell and M. Abdelhamid, 38-40 (Feb.).
Unleashing a Microcomputer in the Laboratory, Part III — K.G. McConnell and M. Abdelhamid, 28-30 (Mar.).

Author Index

Abdelhamid, M. — Unleasing a Microcomputer in the Laboratory, Part I, 22-24 (Jan.).
Unleashing a Microcomputer in the Laboratory, Part II, 38-40 (Feb.).
Unleashing a Microcomputer in the Laboratory, Part III, 28-30 (Mar.).

Andonian, A.T. — A Simplified Moiré Analysis for Two-dimensional Strain Measurements, 25-27 (June).

Barrowman, E.M. — High-elongation Strain Measurement, 29-32 (Oct.).

Beese, J.G. — Experimental Study of the Dynamic Loading of Metal Disks, 24-28 (Aug.).

Berghaus, D.G. — Differentiation and Integration of Continuous Experimental Data, 22-27 (Nov.).

Blom, A.F. — An Assessment of Different Experimental Techniques for Determination of Threshold Stress-intensity Factor ΔKth, 15-18 (May).

Bodre, R.A. — Photoelastic Stress-freezing Demonstration, 28 (Nov.).
Photoelastic Simple-stress-concentration Demonstration, 28-30 (Dec.).

Brendel, A.E. — Some Comments on the Evaluation of Transducer Performance, 20-21 (May).

Briggs, H.C. — Recent Experiences with Small Computers at the Air Force Institute of Technology, 40-42 (Apr.).

Brousn, W.T. — Computer-aided Verification of Fatigue-macnine Performance, 19-23 (Dec.).

Cassatt, G. — Stress Corrosion, Anyone?, 16 (Nov.).

Cederberg, A.R. — A Strain-gage Transducer for Measuring Strains in Composite Materials, 22-25 (May).

Chang, H.W. — Out-of-plane Deformation of Balanced and Symmetric Composites as Measured by Holographic Interferometry, 30-34 (Aug.).

Clarke, H. — Experimental Study of the Dynamic Loading of Metal Disks, 24-28 (Aug.).

Cotterman, B.W. — Classroom Moiré Demonstrator, 38-39 (Jan.).
Teaching Linear Mismatch in Moiré, 34-35 (Mar.).
Shadow Moiré Out-of-Plane Displacement Demonstrator, 29-30 (May).
Brittle-coating Demonstration Strip, 37 (June).

INDEX TO
EXPERIMENTAL TECHNIQUES
Volume 7, 1983

Title Index

Application of the Knee Gage — J. Evan and G. Viegelahn, 35 (Aug.).
Assessment of Different Experimental Techniques for Determination of Threshold Stress-intensity Factor ΔKth, An — A.F. Blom, 15-18 (May).
Bendable Strain Gages? — S.K. Foss, 15 (Nov.).
Brittle-coating Demonstration Strip — B.W. Cotterman and F.B. Stern, 37 (June).
Classroom Moiré Demonstrator — B.W. Cotterman and P.D. Heimdahl, 38-39 (Jan.).
Comparison of Residual-stress Measurements Using Blind-hole, Abrasive-jet and Trepan-ring Methods, A — F.W. Witt, F. Lee and W. Rider, 41-44 (Feb.).
Computer-aided Verification of Fatigue-macnine Performance — T.M. Maneady and W.T. Brousn, 19-23 (Dec.).
Constant-velocity Impact Tester for Brittle Materials, A — R.M. Fredriks, 21 (July).
Construction of a Slip-line Field in Photoviscoplastic Model Test — T. Nishitani and H. Ito, 26-27 (Mar.).
Crack-defect Demonstrator — B.W. Cotterman and F.B. Stern, 40-41 (Oct.).
Differentiation and Integration of Continuous Experimental Data — D.G. Berghaus and T.O. Woods, 22-27 (Nov.).
Digital Techniques for Enhancing and Processing Dynamic Stress-analysis Data — J.S.W. Taylor, 31-35 (June).
Edge Effects in Composites by Moiré Interferometry — R. Czarnek, D. Post and C. Herakovich, 18-21 (Jan.).
Effect of Complementary Gratings in Fringe Sharpening on Fringe Orders — G. Subramanian and D. Selvan, 36-37 (Sept.).
Elementary Probability Plotting for Experimental Data Analysis — J.R. King, 30-34 (Sept.).
Epoxy Putty and a Collapsable Molding Device — H.W. Smith, 32-33 (Mar.).
Errors Due to Transverse Sensitivity in Strain Gages — Measurements Group, Inc., 30-35 (Jan.).
Exact Technique for Mixing of Immersion Fluids, An — S. Singn, 27-29 (Jan.).
Experimental Study of the Dynamic Loading of Metal Disks — J.G. Beese, H. Clarke and P.W. Prickett, 24-28 (Aug.).
Gage-factor Considerations for Platinum-tungsten Alloy at Elevated Temperatures — S. Wnuk, 34-35 (Oct.).
High-elongation Strain Measurement — E.M. Barrowman, 29-32 (Oct.).
Improved Moiré Interferometry and Applications in Fracture Mechanics, Residual Stress and Damaged Composites — A. McDonach, J. McKelvie, P. Mackenzie and C.A. Walker, 20-24 (June).
Influence of Residual Stresses Introduced by Shot Peening Upon the Fatigue Life of Materials — A. Niku-Lari, 21-25 (Mar.).
Lighter and Longer — A Similarity Between Man and Machine — K. Rajaiah and A.J. Durelli, 22-23 (July).
Load Cell for Measuring Forces in the Temporomandibular Joint — G. Roe and E.E. Day, 18 (Nov.).
Measuring Strain Gages Directly Without Signal Conditioning — E.J. Nelson, C.F. Sikorra and J.L. Howard, 26-28 (Sept.).
Method for Measuring End Load in a Pressurized Hollow Rod, A — L.R. Foss, 24 (July).
Microcomputer-controlled Scanning System for Transducers, A — R. Royles and D.C. Jeffrey, 26-28 (Apr.).
Moiré Home Study Problem — B.W. Cotterman, 28-29 (July).
Moiré Interferometry for Damage Analysis of Composites — D. Post, 17-20 (July).
Moiré Viewgraph Demonstrator — B.W. Cotterman, 27 (July).
New Developments in Foil Strain-gage Technology — W. Ort, 19-23 (Aug.).
Numbering Photographs — V.J. Parks, 16 (Nov.).
Out-of-plane Deformation of Balanced and Symmetric Composites as Measured by Holographic Interferometry — H.W. Chang, 30-34 (Aug.).
Photoelastic Simple-stress-concentration Demonstration — B.W. Cotterman and R.A. Bodre, 28-30 (Dec.).
Photoelastic Stress-freezing Demonstration — B.W. Cotterman and R.A. Bodre, 28 (Nov.).
Piezoelectric-accelerometer Installation-verification Tecnniques — E.J. Nelson, 24 (Dec.).
Preparation of Materials for Composite Photoelastic Models — D.K. Sehgal, S.M.A. Kazami and A. Natarajan, 29-31 (Apr.).
Protection of Strain Gages on Rebar — G. Druffner, 35 (Oct.).
Recent Experiences with Small Computers at the Air Force Institute of Technology — H.C. Briggs, 40-42 (Apr.).
Relief in a Rush — C.A. Eubanks, 20 (Nov.).
Residual Stresses and Surface Finish in Shot-peened Components and Materials — A. Niku-Lari, 30-36 (Feb.).
Reusable Angle Transducer — G.L. Viegelahn, 19 (Nov.).
Review of Experimental Techniques for Thin-walled Structures Liable to Buckling, Part I — Neutral and Unstable Buckling — M.A. Souza, W.C. Fok and A.C. Walker, 21-25 (Sept.).
Review of Experimental Techniques for Thin-walled Structures Liable to Buckling, Part II — Stable Buckling — M.A. Souza, W.C. Fok and A.C. Walker, 36-39 (Oct.).
Shadow Moiré Out-of-Plane Displacement Demonstrator — B.W. Cotterman and P.D. Heimdahl, 29-30 (May).
Simple Technique to Count the Fringes in a Dynamic-photoelastic Oscillogram, A — V.G. Idichandy and G. Venkata Rao, 26-28 (May).
Simplified Moiré Analysis for Two-dimensional Strain Measurements — A.T. Andonian, 25-27 (June).
Some Comments on the Evaluation of Transducer Performance — A.E. Brendel, 20-21 (May).
Static-strain Measurements on Gas-turbine Combustor Liners — P. Raymondo, 46-49 (Feb.).
Strain-gage Clamping — C. Law, 26 (Dec.).
Strain-gage Transducer for Measuring Strains in Composite Materials, A — A.R. Cederberg and R.F. Foral, 22-25 (May).
Stress Corrosion, Anyone? — G. Cassatt, 16 (Nov.).
Teaching Linear Mismatch in Moiré — B.W. Cotterman and P.D. Heimdahl, 34-35 (Mar.).
Test Frame for Uniaxial Creep, A — M.A. Pressell and L.B. Sandberg, 25-26 (Dec.).
Thanks, Mr. Wrigley — J. Holland and J.W. Dalley, 35 (Sept.).
Two-color Grating Aids Moiré-fringe Sharpening — G. Subramanian and D. Selvan, 28-29 (June).
Unbalanced-bridge Computational Techniques and Accuracy for Automated Multichannel Strain-measuring Systems — M. Williams and G. McFetridge, 32-37 (Apr.).
Unleashing a Microcomputer in the Laboratory, Part I — K.G. McConnell and M. Abdelhamid, 22-24 (Jan.).
Unleashing a Microcomputer in the Laboratory, Part II — K.G. McConnell and M. Abdelhamid, 38-40 (Feb.).
Unleashing a Microcomputer in the Laboratory, Part III — K.G. McConnell and M. Abdelhamid, 28-30 (Mar.).

Author Index

Abdelhamid, M. — Unleasing a Microcomputer in the Laboratory, Part I, 22-24 (Jan.).
Unleashing a Microcomputer in the Laboratory, Part II, 38-40 (Feb.).
Unleashing a Microcomputer in the Laboratory, Part III, 28-30 (Mar.).

Andonian, A.T. — A Simplified Moiré Analysis for Two-dimensional Strain Measurements, 25-27 (June).

Barrowman, E.M. — High-elongation Strain Measurement, 29-32 (Oct.).

Beese, J.G. — Experimental Study of the Dynamic Loading of Metal Disks, 24-28 (Aug.).

Berghaus, D.G. — Differentiation and Integration of Continuous Experimental Data, 22-27 (Nov.).

Blom, A.F. — An Assessment of Different Experimental Techniques for Determination of Threshold Stress-intensity Factor ΔKth, 15-18 (May).

Bodre, R.A. — Photoelastic Stress-freezing Demonstration, 28 (Nov.).
Photoelastic Simple-stress-concentration Demonstration, 28-30 (Dec.).

Brendel, A.E. — Some Comments on the Evaluation of Transducer Performance, 20-21 (May).

Briggs, H.C. — Recent Experiences with Small Computers at the Air Force Institute of Technology, 40-42 (Apr.).

Brousn, W.T. — Computer-aided Verification of Fatigue-macnine Performance, 19-23 (Dec.).

Cassatt, G. — Stress Corrosion, Anyone?, 16 (Nov.).

Cederberg, A.R. — A Strain-gage Transducer for Measuring Strains in Composite Materials, 22-25 (May).

Chang, H.W. — Out-of-plane Deformation of Balanced and Symmetric Composites as Measured by Holographic Interferometry, 30-34 (Aug.).

Clarke, H. — Experimental Study of the Dynamic Loading of Metal Disks, 24-28 (Aug.).

Cotterman, B.W. — Classroom Moiré Demonstrator, 38-39 (Jan.).
Teaching Linear Mismatch in Moiré, 34-35 (Mar.).
Shadow Moiré Out-of-Plane Displacement Demonstrator, 29-30 (May).
Brittle-coating Demonstration Strip, 37 (June).

Moiré Viewgraph Demonstrator, 27 (July).
Moiré Home Study Problem, 28-29 (July).
Crack-defect Demonstrator, 40-41 (Oct.).
Photoelastic Stress-freezing Demonstration, 28 (Nov.).
Photoelastic Simple-stress-concentration Demonstration, 28-30 (Dec.).
Czarnek, R. — Edge Effects in Composites by Moiré Interferometry, 18-21 (Jan.).
Dailey, J.W. — Thanks, Mr. Wrigley, 35 (Sept.).
Day, E.E. — Load Cell for Measuring Forces in the Temporomandibular Joint, 18 (Nov.).
Druffner, G. — Protection of Strain Gages on Rebar, 35 (Oct.).
Durelli, A.J. — Lighter and Longer — A Similarity Between Man and Machine, 22-23 (July).
Eubanks, C.A. — Relief in a Rush, 20 (Nov.).
Evan, J. — Application of the Knee Gage, 35 (Aug.).
Fok, W.C. — Review of Experimental Techniques for Thin-walled Structures Liable to Buckling, Part I — Neutral and Unstable Buckling, 21-25 (Sept.).
Review of Experimental Techniques for Thin-walled Structures Liable to Buckling, Part II — Stable Buckling, 36-39 (Oct.).
Foral, R.F. — A Strain-gage Transducer for Measuring Strains in Composite Materials, 22-25 (May).
Foss, L.R. — A Method for Measuring End Load in a Pressurized Hollow Rod, 24 (July).
Foss, S.K. — Bendable Strain Gages?, 15 (Nov.).
Fredriks, R.M. — A Constant-velocity Impact Tester for Brittle Materials, 21 (July).
Heimdahl, P.D. — Classroom Moiré Demonstrator, 38-39 (Jan.).
Teaching Linear Mismatch in Moiré, 34-35 (Mar.).
Shadow Moiré Out-of-plane Displacement Demonstrator, 29-30 (May).
Herakovich, C. — Edge Effects in Composites by Moiré Interferometry, 18-21 (Jan.).
Holland, J. — Thanks, Mr. Wrigley, 35 (Sept.).
Howard, J.L. — Measuring Strain Gages Directly Without Signal Conditioning, 26-28 (Sept.).
Idichandy, V.G. — A Simple Technique to Count the Fringes in a Dynamic-photoelastic Oscillogram, 26-28 (May).
Ito, H. — Construction of a Slip-line Field in Photoviscoplastic Model Test, 26-27 (Mar.).
Jeffrey, D.C. — A Microcomputer-controlled Scanning System for Transducers, 26-28 (Apr.).
Kazami, S.M.A. — Preparation of Materials for Composite Photoelastic Models, 29-31 (Apr.).
King, J.R. — Elementary Probability Plotting for Experimental Data Analysis, 30-34 (Sept.).
Law, C. — Strain-gage Clamping, 26 (Dec.).
Lee, F. — A Comparison of Residual-stress Measurements Using Blind-hole, Abrasive-jet and Trepan-ring Methods, 41-44 (Feb.).
MacKenzie, P. — Improved Moiré Interferometry and Applications in Fracture Mechanics, Residual Stress and Damaged Composites, 20-24 (June).
Maheady, T.M. — Computer-aided Verification of Fatigue-machine Performance, 19-23 (Dec.).
McDonach, A. — Improved Moiré Interferometry and Applications in Fracture Mechanics, Residual Stress and Damaged Composites, 20-24 (June).
McConnell, K.G. — Unleashing a Microcomputer in the Laboratory, Part I, 22-24 (Jan.).
Unleashing a Microcomputer in the Laboratory, Part II, 38-40 (Feb.).
Unleashing a Microcomputer in the Laboratory, Part III, 28-30 (Mar.).
McFetridge, G. — Unbalanced-bridge Computational Techniques and Accuracy for Automated Multi-channel Strain-measuring Systems, 32-37 (Apr.).
McKelvie, J. — Improved Moiré Interferometry and Applications in Fracture Mechanics, Residual Stress and Damaged Composites, 20-24 (June).
Measurements Group, Inc. — Errors Due to Transverse Sensitivity in Strain Gages, 30-35 (Jan.).
Natarajan, A. — Preparation of Materials for Composite Photoelastic Models, 29-31 (Apr.).
Nelson, E.J. — Measuring Strain Gages Directly Without Signal Conditioning, 26-28 (Sept.).
Piezoelectric-accelerometer Installation-verification Techniques, 24 (Dec.).
Niku-Lari, A. — Residual Stresses and Surface Finish in Shot-peened Components and Materials, 10-36 (Feb.).
Influence of Residual Stresses Introduced by Shot Peening Upon the Fatigue Life of Materials, 21-25 (Mar.).
Nishitani, T. — Construction of a Slip-line Field in Photoviscoplastic Model Test, 26-27 (Mar.).
Ort, W. — New Developments in Foil Strain-gage Technology, 19-23 (Aug.).
Parks, V.J. — Numbering Photographs, 16 (Nov.).
Post, D. — Edge Effects in Composites by Moiré Interferometry, 18-21 (Jan.).
Moiré Interferometry for Damage Analysis of Composites, 17-20 (July).
Pressell, M.A. — A Test Frame for Uniaxial Creep, 25-26 (Dec.).
Prickett, P.W. — Experimental Study of the Dynamic Loading of Metal Disks, 24-28 (Aug.).
Rajaiah, K. — Lighter and Longer — A Similarity Between Man and Machine, 22-23 (July).
Raymondo, P. — Static-strain Measurements on Gas-turbine Combustor Liners, 46-49 (Feb.).
Rider, W. — A Comparison of Residual-stress Measurements Using Blind-hole, Abrasive-jet and Trepan-ring Methods, 41-44 (Feb.).
Roe, G. — Load Cell for Measuring Forces in the Temporomandibular Joint, 18 (Nov.).
Royles, R. — A Microcomputer-controlled Scanning System for Transducers, 26-28 (Apr.).
Saff, C.R. — A Multidimensional-crack-growth Prediction Methodology for Flaws Originating at Fastener Holes, 139-146 (Apr.).
Sandberg, L.B. — A Test Frame for Uniaxial Creep, 25-26 (Dec.).
Sehgal, D.K. — Preparation of Materials for Composite Photoelastic Models, 29-31 (Apr.).
Selvan, D. — Two-color Grating Aids Moiré-fringe Sharpening, 28-29 (June).
Effect of Complementary Gratings in Fringe Sharpening on Fringe Orders, 36-37 (Sept.).
Sikorra, C.F. — Measuring Strain Gages Directly Without Signal Conditioning, 26-28 (Sept.).
Singh, S. — An Exact Technique for Mixing of Immersion Fluids, 27-29 (Jan.).
Smith, H.W. — Epoxy Putty and a Collapsable Molding Device, 32-33 (Mar.).
Stern, F.B. — Brittle-coating Demonstration Strip, 37 (June).
Crack-defect Demonstrator, 40-41 (Oct.).
Souza, M.A. — Review of Experimental Techniques for Thin-walled Structures Liable to Buckling, Part I — Neutral and Unstable Buckling, 21-25 (Sept.).
Review of Experimental Techniques for Thin-walled Structures Liable to Buckling, Part II — Stable Buckling, 36-39 (Oct.).
Subramanian, G. — Two-color Grating Aids Moiré-fringe Sharpening, 28-29 (June).
Effect of Complementary Gratings in Fringe Sharpening on Fringe Orders, 36-37 (Sept.).
Taylor, J.S.W. — Digital Techniques for Enhancing and Processing Dynamic Stress-analysis Data, 31-35 (June).
Venkata Rao, G. — A Simple Technique to Count the Fringes in a Dynamic-photoelastic Oscillogram, 26-28 (May).
Vlegelahn, G. — Application of the Knee Gage, 35 (Aug.).
Reusable Angle Transducer, 19 (Nov.).
Walker, A.C. — Review of Experimental Techniques for Thin-walled Structures Liable to Buckling, Part I — Neutral and Unstable Buckling, 21-25 (Sept.).
Review of Experimental Techniques for Thin-walled Structures Liable to Buckling, Part II — Stable Buckling, 36-39 (Oct.).
Walker, C.A. — Improved Moiré Interferometry and Applications in Fracture Mechanics, Residual Stress and Damaged Composites, 20-24 (June).
Williams, M. — Unbalanced-bridge Computational Techniques and Accuracy for Automated Multichannel Strain-measuring Systems, 32-37 (Apr.).
Witt, F.W. — A Comparison of Residual-stress Measurements Using Blind-hole, Abrasive-jet and Trepan-ring Methods, 41-44 (Feb.).
Wnuk, S. — Gage-factor Considerations for Platinum-tungsten Alloy at Elevated Temperatures, 34-35 (Oct.).
Woods, T.O. — Differentiation and Integration of Continuous Experimental Data, 22-27 (Nov.).

FACULTY POSITION

Experimental Solid Mechanics, Department of Mechanical Engineering and Mechanics, Lehigh University

A tenure-track position is available at the Assistant Professor level. In exceptional cases appointment to a higher level may be considered. A Ph.D. or equivalent degree is required. The successful candidate is expected to teach graduate and undergraduate courses in mechanics, to direct the undergraduate solid mechanics laboratory, and to participate in and develop research programs. Send complete resume and names, addresses, and telephone numbers of three persons who could be contacted for reference to: **Professor Ronald J. Hartranft, Department of Mechanical Engineering and Mechanics, Packard Lab., #19, Lehigh University, Bethlehem, Pennsylvania, 18015.** To receive full consideration, applications should be received before January 15, 1984.

LEHIGH UNIVERSITY IS AN EQUAL OPPORTUNITY/ AFFIRMATIVE ACTION EMPLOYER.